



**Government of India
Ministry of Defence
ORDNANCE PARACHUTE FACTORY
Napier Road, Cantt
Kanpur-208004, Uttar Pradesh**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s SWADESHI NIWAR MILLS, 59/132-A, PURANI DAL MANDI, CANARA BANK BUILDING BIRHANA ROAD KANPUR Uttar Pradesh** is registered at ORDNANCE PARACHUTE FACTORY for following Items.

| Sl. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|---------|----------------------------|--|------------------------------|
| 1 | Ordnance Parachute Factory | Cord Cotton. Braided 2,4mm Dia[As per specification] | 15-09-2011 |
| 2 | | Cord Elastic 5mm, 6.5mm, 7mm to 20mm[As per specification] | 15-09-2011 |
| 3 | | Cord Ny. 1785N, 2452N for Personnel Para[As per specification] | 15-09-2011 |
| 4 | | Cord Ny. 450N[As per specification] | 15-09-2011 |
| 5 | | Cord Ny. 6,15mm Circular[As per specification] | 15-09-2011 |
| 6 | | Cord Ny. 66, BS 380 Kg[As per specification] | 15-09-2011 |
| 7 | | Cord Ny. Braided 1000N Coreless[As per specification] | 15-09-2011 |
| 8 | | Cord Ny. Braided 345N[As per specification] | 15-09-2011 |
| 9 | | Cordage Ny. Braided 250 KGS ODS [As per specification] | 15-09-2011 |
| 10 | | Cordage Ny. U/D OG 1785n, 3120n, 5335n[As per specification] | 15-09-2011 |
| 11 | | Netting Ny. 3" Sq Mesh 37.5 cm[As per specification] | 15-09-2011 |
| 12 | | Ribbon Nylon various[As per specification] | 15-09-2011 |
| 13 | | Tape Cotton 19MM OG Special[As per specification] | 15-09-2011 |
| 14 | | Tape Cotton Various[As per specification] | 15-09-2011 |
| 15 | | Tape Elastic 13mm,15mm,19mm,25mm to 32mm[As per specification] | 15-09-2011 |

| |
|----|
| 16 |
| 17 |
| 18 |
| 19 |
| 20 |
| 21 |
| 22 |
| 23 |
| 24 |
| 25 |
| 26 |
| 27 |
| 28 |
| 29 |
| 30 |
| 31 |
| 32 |
| 33 |
| 34 |
| 35 |
| 36 |
| 37 |
| 38 |

| | |
|---|------------|
| Tape Elastic Various[As per specification] | 15-09-2011 |
| Tape Newar Various[As per specification] | 15-09-2011 |
| Tape Niwar Poly. 13mm,25mm & 50mm Dyed[As per specification] | 15-09-2011 |
| Tape Ny. 1.3cm,19mm,25mm,51mm Thin[As per specification] | 15-09-2011 |
| Tape Ny. 1.6cm BS 200Kg[As per specification] | 15-09-2011 |
| Tape Ny. 13mm,19mm,25mm,38mm,51mm Thick[As per specification] | 15-09-2011 |
| Tape Ny. 14mm Tubular BS- 850 Kg[As per specification] | 15-09-2011 |
| Tape Ny. 16mm, 25.4mm,32mm,44mm,70mm [As per specification] | 15-09-2011 |
| Tape Ny. 19mm for Brake Para[As per specification] | 15-09-2011 |
| Tape Ny. 19MM U/D[As per specification] | 15-09-2011 |
| Tape Ny. 2.6cm Med 600 Kg.[As per specification] | 15-09-2011 |
| Tape Ny. 2.6CM Med U/D BS-600 Kg[As per specification] | 15-09-2011 |
| Tape Ny. 2.6cm Thin U/D BS 200 Kg.[As per specification] | 15-09-2011 |
| Tape Ny. 2.6cm U/D BS1000Kg[As per specification] | 15-09-2011 |
| Tape Ny. 66, 26mm Tubular B.S. 1850Kg[As per specification] | 15-09-2011 |
| Tape Para-aramid 26 mm, 1600 kgf Tubular[2010797689] | 02-08-2023 |
| Tape Ny. 66,26MM 550 Kg U/D[As per specification] | 15-09-2011 |
| Tape Ny. Thick 38mm OG[As per specification] | 15-09-2011 |
| Tape Ny. Thin 13mm U/D BS-70Kg[As per specification] | 15-09-2011 |
| Tape Ny. Thin 25mm OG[As per specification] | 15-09-2011 |
| Tape Ny. Tub. 25.4mm 2335N[As per specification] | 15-09-2011 |
| Tape Ny. Tub. 26mm 17500 N[As per specification] | 15-09-2011 |
| Tape Ny. Various[As per specification] | 15-09-2011 |

| | | |
|----|--|------------|
| 39 | Tape Nylon 20 mm BS 5680 N UD [As per specification] | 15-09-2011 |
| 40 | Tape Nylon 66,21 mm BS 600 Kg UD[AS PER SPECIFICATION] | 15-09-2011 |
| 41 | Tape Nylon 66,26 mm BS 850 Kg UD [As per specification] | 15-09-2011 |
| 42 | Tape Nylon 66,26 mm BS 850 Kg UD Resin Treated[As per specification] | 15-09-2011 |
| 43 | Tape Poly. 12.7mm 100% White for Parachute[As per specification] | 15-09-2011 |
| 44 | Tape Poly. 25mm 100% White for Parachute[As per specification] | 15-09-2011 |
| 45 | Tape Poly. Various[As per specification] | 15-09-2011 |
| 46 | Tape Tex. Ny. 14MM Thick U/D BS- 230 KG[As per specification] | 15-09-2011 |
| 47 | Tape Tub. Ny. 1.5cm BS 550 Kg.[As per specification] | 15-09-2011 |
| 48 | Tape Tub. Ny. 36mm 29000 N[As per specification] | 15-09-2011 |
| 49 | Tape Tub. Ny. 43mm 9000N[As per specification] | 15-09-2011 |
| 50 | Tape Tub. Ny. Braided 25mm Type-II[As per specification] | 15-09-2011 |
| 51 | Tape Tub. Ny. Braided 3.5mm U/D[As per specification] | 15-09-2011 |
| 52 | Tape Tubular Ny. 1.5 Cms U/D BS-550Kg[As per specification] | 15-09-2011 |
| 53 | Tape Tubular Ny. 1.5cm BS 550Kg[As per specification] | 15-09-2011 |
| 54 | Tape Tubular Ny. 14MM U/D[As per specification] | 15-09-2011 |
| 55 | Tape Tying 13mm Dyed[As per specification] | 15-09-2011 |
| 56 | Webbing Ny. 14mm TUb. BS1100Kg. [As per specification] | 15-09-2011 |
| 57 | Webbing Ny. 25.4mm,51mm[As per specification] | 15-09-2011 |
| 58 | Webbing Ny. 44mm 1000Kg,1815Kg, 2950Kg[As per specification] | 15-09-2011 |
| 59 | Webbing Ny. Thin 38MM, 48MM Wide Blue[As per specification] | 15-09-2011 |

| | | |
|----|---|------------|
| 60 | Webbing Ny. Tub. 14mm BS -680Kg.[As per specification] | 15-09-2011 |
| 61 | Webbing Ny. Various[As per specification] | 15-09-2011 |
| 62 | Webbing Poly. Various[As per specification] | 15-09-2011 |
| 63 | Webbing Tex. Special Light 44mm[As per specification] | 15-09-2011 |
| 64 | COTTON TAPE FOR PARACHUTE SD 25 MM SCOURED. SPECN. NO IS: 3255-1979 Reaffirmed 2003[2101774715] | 02-08-2023 |
| 65 | TAPE PARA-ARAMID 25 MM, 1000 KGF[2010797688] | 02-08-2023 |
| 66 | WEBBING PARA-ARAMID 44 MM, 9000 KGF[2101877405] | 02-08-2023 |
| 67 | CORDAGE PARA-ARAMID 400 KGF[2101126447] | 02-08-2023 |
| 68 | TAPE PARA ARAMID 21 MM 900 KGF[2010797691] | 02-08-2023 |
| 69 | FABRIC NYLON 58 GM UD 105 CM MIN WIDTH EXCLUDING SELVEDGE[2101221384] | 27-05-2024 |
| 70 | Fabric Nylon 66 48 GSM Undyed 95 Cm plus1 minus0[2101222000] | 27-05-2024 |
| 71 | FABRIC NYLON 66, 37 GM U/D 91.4 CM[2101221324] | 30-01-2025 |
| 72 | FABRIC NYLON 93GM UD WIDTH 95 CM[2101221989] | 30-01-2025 |
| 73 | FABRIC DUCK NYLON 700 GSM RESIN TREATED BLACK[2101221614] | 05-05-2025 |
| 74 | FABRIC DUCK NYLON 700 GSM RESIN TREATED STEEL GREY[2101221609] | 05-05-2025 |
| 75 | FIBRE GLASS TAPE 60 MM UD[2110037003] | 08-08-2025 |
| 76 | FIBRE GLASS SLEEVE 5 6 MM WIDTH[2110037004] | 08-08-2025 |
| 77 | FABRIC NYLON 35 GM U/D WIDTH 94 CM[2101221355] | 26-09-2025 |
| 78 | FABRIC NYLON 32G U/D 100 CM WIDTH[2101221267] | 26-09-2025 |
| 79 | FABRIC NYLON 230 GMS UD 92 CMS[2101211991] | 26-09-2025 |
| 80 | FABRIC NYLON 190 GSM UNDYED[2101222002] | 26-09-2025 |

| | | | |
|----|----------------------------|--|------------|
| 81 | Ordnance Equipment Factory | PU FOAM VARIOUS[AS PER REQUIREMENT & SPECIFICATION] | 03-10-2016 |
| 82 | | POLYESTER WADDING HOLLOW SILCONIZED 350 GSM IN 91 CM[21] | 17-11-2017 |
| 83 | | ANKLET BD OG[21] | 08-02-2019 |
| 84 | | F.R. TREATED TWINE NYLON OLIVE GREEN (IS:220)[21] | 08-02-2019 |
| 85 | | F.R. TREATED TWINE NYLON SAND COLOUR (IS:363)[21] | 08-02-2019 |
| 86 | | F.R. TREATED TWINE NYLON WHITE FOR NETTING STRUCTURE[21] | 08-02-2019 |
| 87 | | NET NYLON TWINE OLIVE GREEN F.R.TREATED SIZE 11M X 8M[21] | 08-02-2019 |
| 88 | | NET NYLON TWINE OLIVE GREEN F.R.TREATED SIZE 16M X 11M[21] | 08-02-2019 |
| 89 | | NET NYLON TWINE OLIVE GREEN F.R.TREATED SIZE 5.5M X 4M[21] | 08-02-2019 |
| 90 | | NET NYLON TWINE OLIVE GREEN F.R.TREATED SIZE 8M X 5.5M[21] | 08-02-2019 |
| 91 | | NET NYLON TWINE SAND COLOUR F.R.TREATED SIZE 11M X 8M[21] | 08-02-2019 |
| 92 | | NET NYLON TWINE SAND COLOUR F.R.TREATED SIZE 16M X 11M[21] | 08-02-2019 |
| 93 | | NET NYLON TWINE SAND COLOUR F.R.TREATED SIZE 5.5M X 4M[21] | 08-02-2019 |
| 94 | | NET NYLON TWINE SAND COLOUR F.R.TREATED SIZE 8M X 5.5M[21] | 08-02-2019 |
| 95 | | NET NYLON TWINE WHITE F.R. TREATED SIZE 11M X 8M[21] | 08-02-2019 |
| 96 | | NET NYLON TWINE WHITE F.R. TREATED SIZE 16M X 11M[21] | 08-02-2019 |
| 97 | | NET NYLON TWINE WHITE F.R. TREATED SIZE 5.5M X 4M[21] | 08-02-2019 |
| 98 | | NET NYLON TWINE WHITE F.R. TREATED SIZE 8M X 5.5M[21] | 08-02-2019 |
| 99 | | NETS CAMOUFLAGE HEAD DRESS OG MK-2[21] | 08-02-2019 |

| | | |
|-----|---|------------|
| 100 | NYLON TWINE DYED F.R. TREATED[21] | 08-02-2019 |
| 101 | SYN. TAPE 13 MM PV DOPE DYED O.G.[21] | 08-02-2019 |
| 102 | Cord Cotton Braided various[21] | 19-04-2018 |
| 103 | CORD COTTON OR ROPE COTTON OR LINE COTTON OR CORDAGE VARIOUS[21] | 19-04-2018 |
| 104 | CORD ELASTIC VARIOUS[21] | 19-04-2018 |
| 105 | CORD NYLON BRAIDED VARIOUS[21] | 19-04-2018 |
| 106 | Cord Nylon Various[21] | 19-04-2018 |
| 107 | COTTON SEWING THREAD various[21] | 19-04-2018 |
| 108 | FIBRE SHEETS VARIOUS[21] | 19-04-2018 |
| 109 | KAPOK INDIAN (SEMUL) VARIOUS [21] | 19-04-2018 |
| 110 | LACES NYLON VARIOUS[21] | 19-04-2018 |
| 111 | LT. WT. WEB COTTON OR WEB COTTON VARIOUS[21] | 19-04-2018 |
| 112 | NYLON SEWING THREAD various[21] | 19-04-2018 |
| 113 | POLYTHENE TWINE BRAIDED VARIOUS[21] | 19-04-2018 |
| 114 | SEWING THREAD POLYESTER or SEWING THREAD SPUN POLYESTER various[21] | 19-04-2018 |
| 115 | SYN. TAPE 25 MM PV DOPE DYED O.G.[21] | 19-04-2018 |
| 116 | SYN. TAPE 50 MM PV DOPE DYED O.G.[21] | 19-04-2018 |
| 117 | SYNTHETIC GRIP BLACK FOR STRAP 32MM (FOR BAG)[21] | 19-04-2018 |
| 118 | TAPE COTTON VARIOUS[21] | 19-04-2018 |
| 119 | TAPE ELASTIC VARIOUS[21] | 19-04-2018 |
| 120 | TAPE NEWAR VARIOUS[21] | 19-04-2018 |
| 121 | TAPE NYLON VARIOUS[21] | 19-04-2018 |
| 122 | Tape Polyester various[21] | 19-04-2018 |
| 123 | TAPE POLYPROPELENE VARIOUS[21] | 19-04-2018 |
| 124 | THREAD LINEN VARIOUS[21] | 19-04-2018 |
| 125 | TWINE NYLON 3 PLY O.G.F.R.TREATED.[21] | 19-04-2018 |
| 126 | TWINE NYLON 3 PLY SAND COLOUR F.R. TREATED[21] | 19-04-2018 |

| | | | |
|-----|--|---|------------|
| 127 | | TWINE NYLON 3 PLY WHITE F.R. TREATED[21] | 19-04-2018 |
| 128 | | WEB POLYPROPELENE/WEB POLYESTER VARIOUS[21] | 19-04-2018 |
| 129 | | WEBBING NYLON VARIOUS[21] | 19-04-2018 |
| 130 | | FABRICATION OF END CURTAIN OF TENT EXTENDABLE FRAME SUPPORTED 4M/2M (ARMY)(EACH SET CONSISTING OF TWO(2) NUMBERS)[21] | 08-02-2019 |
| 131 | | FABRICATION OF HAVERSACK (MODIFIED)[21] | 08-02-2019 |
| 132 | | FABRICATION OF LINER INNER FOR TEFS 2M UNIT[21] | 08-02-2019 |
| 133 | | Fabrication of TEFS 4M Fly Inner[21] | 08-02-2019 |
| 134 | | Fabrication of Tent Fly Outer 4M Unit[21] | 08-02-2019 |
| 135 | | TRADE FABRICATION OF BAG KIT UNIVERSAL WITH PV DOPE DYED FABRIC OG[21] | 08-02-2019 |
| 136 | | TRADE FABRICATION OF NET MOSQUITO R/M POLY KHAKI WITH CALICO BORDER[21] | 08-02-2019 |
| 137 | | TRADE FABRICATION OF PACK WITH ALUMINIUMFRAME (MODIFIED)[21] | 08-02-2019 |
| 138 | | TRADE FABRICATION OF RAIN JACKET WITH INTEGRATED HOOD AND TROUSER; SIZE-LARGE[21] | 08-02-2019 |
| 139 | | Bandolier 1A Complete[21] | 08-02-2019 |
| 140 | Ordnance Factory Bhandara | COTTON YARN NE 30/2[IND/ME/800 & JSS1250,IS 1719:2000] | 17-02-2017 |
| 141 | Ordnance Equipment Factory Hazaratpur | CORD NYLON 1785 N[90] | 17-02-2018 |
| 142 | | TAPE WOVEN NYLON 26MM WR UVR TREATED BLACK [90] | 17-02-2018 |
| 143 | | TAPE WOVEN NYLON 30MM WR UVR TREATED BLACK [90] | 17-02-2018 |
| 144 | | CORD NYLON 3120N[90] | 17-02-2018 |
| 145 | Ordnance Clothing Factory Shahjahanpur | FABRICATION OF COAT ECC IMP VER[21] | 16-12-2022 |

Registration No. : KNPR01320E
Initial Date of Registration : 15-09-2011

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.