



**Government of India
Ministry of Defence
ORDNANCE PARACHUTE FACTORY
Napier Road, Cantt
Kanpur-208004, Uttar Pradesh**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that M/s Hoops & Strips Pvt.Ltd., 23 A , Netaji Subhas Road, 2nd Floor, Room No.15 Netaji Subhas Road Kolkata West Bengal is registered at ORDNANCE PARACHUTE FACTORY for following Items.

Sl. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Ordnance Factory Khamaria	SHEET MS 2500X1000X1.6MM IS513CR DD (0121020016) Description : SHEET MS 2500X1000X1.6MM IS513CR DD (0121020016) [Deemed Registration]	16-02-2019
2		ALU STRIP 85X0.3MM IS737 19500 'O' (0615361048) Description : ALU STRIP 85X0.3MM IS737 19500 'O' (0615361048) [Deemed Registration]	16-02-2019
3		STEEL ROD 7 MM IS-1875 GRD.20C8 (0101003008) Description : STEEL ROD 7 MM IS-1875 GRD.20C8 (0101003008) [Deemed Registration]	16-02-2019
4		STEEL STRIP 100 0 5MM 26BG IS513 CR LF 0133090563 Description : STEEL STRIP 100 0 5MM 26BG IS513 CR LF 0133090563 [ENR Registration]	14-12-2021
5		Steel strip 40x0 8 mmIS 513 type DD LF 0101060242 Description : Steel strip 40x0 8 mmIS 513 type DD LF 0101060242 [ENR Registration]	14-12-2021
6		STEEL STRIP 200X1 1MM IS513 BS1449 LF 0101063337 Description : STEEL STRIP 200X1 1MM IS513 BS1449 LF 0101063337 [ENR Registration]	04-01-2022
7		MILD STEEL COMMERCIAL PLATE SIZE 2790 X 1860 X 25 MM THICK TO SPECIFICATION LF 0133020025 Description : MILD STEEL COMMERCIAL PLATE SIZE 2790 X 1860 X 25 MM THICK TO SPECIFICATION LF 0133020025 [ENR Registration]	04-01-2022

8		STEEL STRIP 82 X 0 8MM BS1449 IS513DD If 0121060266 Description : STEEL STRIP 82 X 0 8MM BS1449 IS513DD If 0121060266 [ENR Registration]	11-02-2022
9		CUPRO NI STRIP BS EN 1652 LF 0700169101 Description : CUPRO NI STRIP BS EN 1652 LF 0700169101 [ENR Registration]	19-02-2022
10		MS PLATE 1MX1MX20MM SPECN IS 226 LF 0133021021 Description : MS PLATE 1MX1MX20MM SPECN IS 226 LF 0133021021 [ENR Registration]	05-04-2022
11		STEEL STRIP 12 5 X 0 28 MM IS 6911 1992 LF 0323060012 Description : STEEL STRIP 12 5 X 0 28 MM IS 6911 1992 LF 0323060012 [ENR Registration]	30-05-2022
12		STEEL STRIP 90X2MM IS 513 BS1449 LF 0101061544 Description : STEEL STRIP 90X2MM IS 513 BS1449 LF 0101061544 [ENR Registration]	30-05-2022
13		BRASS STRIP 25 4X0 63 MM LF 0717560949 Description : BRASS STRIP 25 4X0 63 MM LF 0717560949 [ENR Registration]	23-11-2022
14		TIN PLATE 510x355x0 30 mm LF 0101029903 Description : TIN PLATE 510x355x0 30 mm LF 0101029903 [ENR Registration]	11-05-2023
15		Steel strip cold rolled closed annealed bright finished 3 56mm thick X 80mm wide in length of 2 mtrs LF0122223036 Description : Steel strip cold rolled closed annealed bright finished 3 56mm thick X 80mm wide in length of 2 mtrs LF0122223036 [ENR Registration]	13-06-2023
16		ALUMINIUM STRIP 25X0 point 5mm IS 737 DESIG 19500 LF 0615360000 Description : ALUMINIUM STRIP 25X0 point 5mm IS 737 DESIG 19500 LF 0615360000 [ENR Registration]	27-06-2023
17		STEEL STRIP 40x0point35 mm LF 0121060051 Description : STEEL STRIP 40x0point35 mm LF 0121060051 [ENR Registration]	07-08-2023
18	Small Arms Factory	STEEL STRIP FOR FIRING DEVICE Description : STEEL STRIP FOR FIRING DEVICE [ENR Registration]	25-04-2019
19		STEEL STRIP 1 point 5MM THICK Description : STEEL STRIP 1 point 5MM THICK [ENR Registration]	02-09-2022
20	Ordnance Factory Bhusawal	0101010447 M S WIRE Description : 0101010447 M S WIRE [ENR Registration]	30-04-2019

21	9911839207 SM CRCA SHEET D SK 2X1250X2500 Description : 9911839207 SM CRCA SHEET D SK 2X1250X2500 [ENR Registration]	30-04-2019
22	9911836999 MS WIRE Description : 9911836999 MS WIRE [ENR Registration]	30-04-2019
23	9911835371 MS WIRE Description : 9911835371 MS WIRE [ENR Registration]	30-04-2019
24	0151010487 MS WIRE 4 MM TO IS 280 1978 Description : 0151010487 MS WIRE 4 MM TO IS 280 1978 [ENR Registration]	30-04-2019
25	0133013325 MS WIRE TO IS 280 1978 Description : 0133013325 MS WIRE TO IS 280 1978 [ENR Registration]	30-04-2019
26	9911812055 SM ROD 10MM DIA TO IS 2062 06 Description : 9911812055 SM ROD 10MM DIA TO IS 2062 06 [ENR Registration]	30-04-2019
27	0133060742 SM FLAT 4 POINT 5 5 X 30 MM IS 513 1994 Description : 0133060742 SM FLAT 4 POINT 5 5 X 30 MM IS 513 1994 [ENR Registration]	30-04-2019
28	9911837465 SM SHEET DDALK Description : 9911837465 SM SHEET DDALK [ENR Registration]	30-04-2019
29	9911828603 SM SHEET DDALK 1 PT 25X910X1800MM Description : 9911828603 SM SHEET DDALK 1 PT 25X910X1800MM [ENR Registration]	30-04-2019
30	0133009013 STEEL BRIGHT BAR 12 PT 7 MM DIA Description : 0133009013 STEEL BRIGHT BAR 12 PT 7 MM DIA [ENR Registration]	30-04-2019
31	9911843100 SM CRCA COIL 1 PT 6 x 73 PT 5 MM Description : 9911843100 SM CRCA COIL 1 PT 6 x 73 PT 5 MM [ENR Registration]	30-04-2019
32	9911843101 SM CRCA COIL 1 PT 6 MM THICK x 85 PT 5 Description : 9911843101 SM CRCA COIL 1 PT 6 MM THICK x 85 PT 5 [ENR Registration]	30-04-2019
33	9911843097 SM CRCA COIL 1 PT 6 MM x 134 PT 7 Description : 9911843097 SM CRCA COIL 1 PT 6 MM x 134 PT 7 [ENR Registration]	30-04-2019
34	9911843265 SM CRCA COIL 0 PT 63 MM THICK Description : 9911843265 SM CRCA COIL 0 PT 63 MM THICK [ENR Registration]	30-04-2019

35	Ammunition Factory Khadki	CARBON STEEL SHT,1000X2500XTHICK 2.5MM [ENR Registration]	11-06-2019
36		COLD ROLLED STEEL STRIP 13MMX 0.5MM [ENR Registration]	11-06-2019
37		ALUMINIUM STRIP 0.56TH X34.3MM W [ENR Registration]	11-06-2019
38		SEALS LEAD 10 MM DIA [ENR Registration]	11-06-2019
39		ALUMINIUM STRIP 0.46+0.04MM-0.05MM X34.3MM [ENR Registration]	11-06-2019
40	Heavy Vehicle Factory	PLATE GR ST 15 3 T TO 0122022492 Description : PLATE GR ST 15 3 T TO 0122022492 [ENR Registration]	12-06-2019
41		SPRING STEEL SHEET TO 0186020003 Description : SPRING STEEL SHEET TO 0186020003 [ENR Registration]	12-06-2019
42		PLATE GR 09G2 2 10x1400x1700 3400MM ST HOT ROLLED ANNEALED TO 0326422625 Description : PLATE GR 09G2 2 10x1400x1700 3400MM ST HOT ROLLED ANNEALED TO 0326422625 [ENR Registration]	12-06-2019
43		SHEET GR ST 15 4 III 3 0X1250X2500MM LG TO 0122022465 Description : SHEET GR ST 15 4 III 3 0X1250X2500MM LG TO 0122022465 [ENR Registration]	12-06-2019
44		SHEET 5 III G10KP GOST 16523 70 TO 0111822444 Description : SHEET 5 III G10KP GOST 16523 70 TO 0111822444 [ENR Registration]	12-06-2019
45		SHEET 2X1250X2500MM LG TO 0111822455 Description : SHEET 2X1250X2500MM LG TO 0111822455 [ENR Registration]	12-06-2019
46	Ordnance Factory Kanpur	COLD ROLLED BRIGHT ANNEALED STEELSHEET Description : COLD ROLLED BRIGHT ANNEALED STEELSHEET [ENR Registration]	18-06-2019

47		Steel strip to Size: 0.62MM (+0.06mm/-0.00) thick X 218MM (+0MM/-2MM) Wide x 900MM(+5MM/-0MM) long matl specn steel to IS:1570C 15 quality having best surface in cold rolled and annealed condition and carbon percentage 0.20% max Description : Steel strip to Size: 0.62MM (+0.06mm/-0.00) thick X 218MM (+0MM/-2MM) Wide x 900MM(+5MM/-0MM) long matl specn steel to IS:1570C 15 quality having best surface in cold rolled and annealed condition and carbon percentage 0.20% max [ENR Registration]	18-06-2019
48		STEEL STRIP FOR MFG OF VANE Description : STEEL STRIP FOR MFG OF VANE [ENR Registration]	18-06-2019
49	Ordnance Factory Ambajhari	STEEL ROD SIZE 42MM DIAMETER AS PER IS 1570 C40 NORMALISED CONDITION 0142000040 Description : STEEL ROD SIZE 42MM DIAMETER AS PER IS 1570 C40 NORMALISED CONDITION 0142000040 [ENR Registration]	24-06-2019
50		PLATE 12 0 5 MM X 1000 MM X 770 MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142451277 Description : PLATE 12 0 5 MM X 1000 MM X 770 MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142451277 [ENR Registration]	24-06-2019
51		PLATE 25MM THICK X 880MM X 650MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C Description : PLATE 25MM THICK X 880MM X 650MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C [ENR Registration]	24-06-2019
52		STEEL ROUND DISC OF SIZE 190 MM DIA X 15 MM THICKNESS HAVING PROPERTIES UTS 52 KG PER MM SQ MIN YIELD STRGTH 36 KG F PER MM PER SQ MIN PERCENT ELONGATION 22 PERCENT ON GAUGE LENGTH 5 POINT 65 SQUARE ROOT AREA Description : STEEL ROUND DISC OF SIZE 190 MM DIA X 15 MM THICKNESS HAVING PROPERTIES UTS 52 KG PER MM SQ MIN YIELD STRGTH 36 KG F PER MM PER SQ MIN PERCENT ELONGATION 22 PERCENT ON GAUGE LENGTH 5 POINT 65 SQUARE ROOT AREA [ENR Registration]	24-06-2019

53	MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 point 3 SIZE 210 MM X 8 MM X 325 MM LENGTH TENSILE STRENGTH 52 to 62 KG per MM SQUARE OR LATEST AMENDED NOMENCLATURE AS ON T E DATE Description : MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 point 3 SIZE 210 MM X 8 MM X 325 MM LENGTH TENSILE STRENGTH 52 to 62 KG per MM SQUARE OR LATEST AMENDED NOMENCLATURE AS ON T E DATE [ENR Registration]	24-06-2019
----	--	------------

Registration No. : AAACH6687B
Initial Date of Registration : 16-02-2019
Downloaded at : 08/06/2026 07:28 pm

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.